

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
5 February 2004 (05.02.2004)

PCT

(10) International Publication Number
WO 2004/011394 A1

- (51) International Patent Classification⁷: **C05B 17/00**, 7/00, C05D 9/02, C05F 11/02, C05G 3/00
- (21) International Application Number:
PCT/IL2003/000620
- (22) International Filing Date: 25 July 2003 (25.07.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
150910 25 July 2002 (25.07.2002) IL
- (71) Applicant (for all designated States except US): **ROTEM AMFERT NEGEV LTD.** [IL/IL]; Mifaley Mishor Rotem, 86800 D.N. Arava (IL).
- (72) Inventor; and)
- (75) Inventor/Applicant (for US only): **JOSEF, Alexander** [IL/IL]; 5/2 Kanayim Street, 89022 Arad (IL).
- (74) Agents: **LUZZATTO, Kfir** et al.; Luzzatto & Luzzatto, P.O. Box 5352, 84152 Beer-Sheva (IL).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: AGROCHEMICAL COMPOSITION CONTAINING PHOSPHITE AND PROCESS FOR THE PREPARATION THEREOF

(57) Abstract: An agrochemical composition having both fertilizing and pesticidal properties is described. The granular composition, containing phosphite, at least one other NPK nutrient, and metal microelements, is homogeneous in the chemical composition, uniform in particle size, and water-soluble. A process for the manufacture of the agrochemical composition is also described.

WO 2004/011394 A1

AGROCHEMICAL COMPOSITION CONTAINING
PHOSPHITE AND PROCESS FOR THE PREPARATION
THEREOF

5 **Field of the Invention**

This invention relates to a solid, granular and uniform in the particle size, water-soluble, agrochemical composition, containing phosphite and being homogeneous in the chemical composition, that contains at least one other NPK nutrient, and comprises metal microelements.

10

Background of the Invention

An ideal agrochemical composition would provide all elements necessary for the plant growth, it would provide some protection against pests, and it would not leave harmful or useless deposits in the soil. Such composition
15 should be further easy for storage, manipulation, usage, and marketing. From the aforesaid results that an ideal composition should be solid, particulate but not dusty, and water-soluble.

Phosphites are used in agrochemical compositions as a phosphorus source
20 and for their pesticidal potential. Publication WO 00/76941 claims potassium phosphites as a fertilizer for trees, vines and crops. U.S. Patent No. 5,514,200 teaches that phosphite fertilizers inhibit the beneficial symbiosis between plant roots and mycorrhizal fungi, and further promote

bacterial and fungicidal growth. The U.S. patent No. 5,830,255 discloses a concentrated buffered phosphorus fertilizer comprising a phosphorous salt or acid, and possibly other nutrients. Fertilizer compositions for plants containing phosphite (PO_3^{3-}) and phosphate (PO_4^{3-}) salts are disclosed in
5 U.S. Patent No. 5,800,837, and antifungal compositions containing phosphite and phosphate salts are disclosed in WO 01/28334. U.S. Patent No. 5,736,164 relates to a composition which contains phosphite and phosphate salts and derivatives thereof for controlling parasitic fungi, and U.S. Patent No. 4,119,724 discloses fungicidal compositions containing
10 phosphorous acid and inorganic and organic salts, as well as a method for their application to plants for controlling fungus disease.

It is desirable to provide a phosphite containing agrochemical composition that would also possess the above mentioned advantageous physical
15 properties. It is therefore an object of this invention to provide an agrochemical composition that is solid, granular and uniform in the particle size, and water-soluble, contains phosphite and is homogeneous in the chemical composition, which composition contains at least one other NPK nutrient (nitrogen and/or phosphorus and/or potassium containing
20 nutrient), and comprises metal microelements.

It is a further object of this invention to provide a process for manufacturing said agrochemical composition.

Other objects and advantages of present invention will appear as description proceeds.

5 Summary of the Invention

This invention provides an agrochemical composition that is solid, granular and uniform in particle size, and water-soluble, and contains phosphite and is homogeneous in the chemical composition, which composition contains at least one other NPK nutrient, and comprises
10 metal microelements. The invention provides a process for manufacturing said agrochemical composition, which process is characterized in that it comprises i) blending and heating at a temperature from 60°C to 130°C a mixture containing phosphorous acid, at least one other NPK nutrient, metal microelements and other additives enhancing its fertilizing and
15 pesticidal properties or modifying functional or aesthetic properties of the particles; ii) introducing a base into the mixture, thus at least partially neutralizing phosphorous acid, wherein the amount of the base is sufficient to provide that the pH of a 1% water solution of the final composition will be between 3.4 and 7.0; iii) homogenizing the mixture,
20 while optionally lowering the pressure above the mixture; iv) and cooling the mixture, while obtaining a homogeneous, granular, free flowing and not caking material, containing from 0% to 1% water.

Detailed Description of the Invention

It has now been found that phosphite salts, NPK nutrients, and metal microelements can be combined in a homogeneous agrochemical composition that has a consistency of solid, granular and particle-size uniform, and water-soluble material. The present invention provides a process for obtaining such composition comprising i) blending and heating a mixture containing phosphorous acid, at least one NPK nutrient, and metal microelements and other additives; ii) introducing a base into the mixture, thus partially neutralizing phosphorous acid, wherein the amount of the base is sufficient to provide that the pH of a 1% water solution of the final composition will be between 3.4 and 7.0; iii) homogenizing the mixture, and optionally lowering the pressure above the mixture; iv) and cooling the mixture, breaking it up, and obtaining a dry, granular, homogeneous material.

15

The components may be added to the mixture, or may be preheated, in any order. However, the complete mixture must be heated at a temperature between 60°C and 130°C, becoming molten and enabling good homogenization. In one embodiment, all the components are blended and preheated in a reactor to 100°C, followed by adding solid phosphorous acid into the mixture, incubating the mixture until a paste is obtained, and homogenizing the mixture when the viscosity decreases. In another

20

embodiment, phosphorous acid is first heated at a temperature higher than 60°C, and all other ingredients are then added to the molten acid.

The NPK nutrient is preferably chosen from the group consisting of
5 monoammonium phosphate, monopotassium phosphate, dipotassium phosphate, sodium nitrate, potassium chloride, ammonium chloride, potassium sulfate, ammonium sulfate, and urea. The metal microelements are preferably chosen from the group consisting of zinc, copper, iron, manganese, molybdenum, and boron, and can be added as a compound
10 contained in any commercially available material. Metals can be present as cations in salts such as chloride, nitrate, sulfate; as anions such as molybdate; as chelates such as ethylenediamine tetraacetate, or other, such as boric acid.

15 The ratios between phosphorous, other NPK nutrients, and the micronutrients, are determined according to their required relative content in the final product.

The amount of phosphorous acid in the mixture according to this invention
20 is from 10 to 95 wt%, the amount of other NPK nutrients is between 5 to 90 wt%, and the amount of microelements is from 0.005 wt% to 2 wt%. In a preferred embodiment of this invention, monoammonium phosphate (MAP) and monopotassium phosphate (MKP) are used as other NPK

nutrients. In one embodiment MAP, MKP and phosphorous acid are used in ratios 1:2:1. In another embodiment only MKP as another NPK nutrient beside phosphorous acid is used, wherein the ratio MKP to phosphorous is 3:1.

5

The molten mixture is at least partially neutralized by a base, wherein the amount of the base is chosen as to ensure a pH from 3.4 to 7.0 for the final product in 1% water solution. This pH is optimal from viewpoint of i) the hygroscopicity of the final composition, ii) the solubility of the composition, and iii) the fertilizing and pesticidal effect of the composition during its use. Said pH confers the composition according to this invention a relatively low hygroscopicity, as expressed by the critical relative humidity, which is typically from 50% to 65%, and more typically from 55% to 60%.

15

In a preferred embodiment of this invention, a base MR is chosen from carbonates and hydroxides, wherein M is selected from K^+ , NH_4^+ and R is selected from CO_3^{2-} and OH^- . In a still more preferred embodiment, the base comprises potassium carbonate or potassium hydroxide. In some embodiments of this invention, the neutralization reaction can be summarized as:



During the neutralization, the temperature can increase due to the release of the neutralization heat, aiding the homogenization process. The homogenization of the molten mixture is eventually accompanied by formation of water and/or carbon dioxide inside the viscose material, and
5 by their escape to the gas phase. In a preferred arrangements of the process according to this invention, the pressure above the molten mixture is lowered, which accelerates removal of water from the mixture.

In a preferred embodiment of this invention, the molten mixture before
10 the neutralization is heated at a temperature 61°C to 100°C. In another embodiment according to this invention, the pressure above the molten mixture is lowered below 70 mm Hg, and preferably below 40 mm Hg.

The homogeneous molten mixture is finally cooled, and broken up. The
15 consistency of the cooled material enables to obtain a granular, free flowing, material with uniform grain-size by using methods known in the art. The particles contain typically less than 1 wt% water, and more typically from 0.1 to 0.4 wt% water.

20 An agrochemical composition according to this invention is completely dissolved when mixing 10 parts of the composition with 90 parts of water at an ambient temperature. Said composition provides pH from 3.4 to 7.0, and more typically pH from 3.8 to 5.3, when dissolved 1 part in 100 parts

of water. A typical composition of this invention dissolves completely even in the ratio of 20 parts per 80 parts of water, when mixed at ambient temperatures.

- 5 An agrochemical composition according to this invention may additionally contain additives that further enhance its fertilizing and pesticidal properties, such as humic acid, or that modify functional or aesthetic properties of the particles finally obtained, such as surfactants or dyes.
- 10 The invention will be further described and illustrated in the following examples.

Examples

Materials

- 15 Monopotassium phosphate and monoammonium phosphate, used here, are products of Rotem Amfert Negev Ltd., Israel.

General procedures

- The samples of granular compositions were prepared in either of two stirred reactors, equipped with heating and cooling mantle, having
20 volumes 1 and 5 liters, respectively. The smaller one was a glass reactor, and the bigger one a steel reactor equipped with a condenser, and connected to a vacuum pump. The solubility of the samples was

characterized by mixing 10 gram in 90 ml distilled water at room temperature for 1 hour. A 1% solution was used for pH measurements. The water content of compositions was determined using Mettler balance adopted for humidity measurements. The hygroscopicity was characterized as the critical relative humidity, as per T.V.A. standard. Shortly, this method determines a relative humidity of an environment in which water absorption by the sample causes a mass increase higher than 3%. The size distribution was characterized by measuring mass fraction of the particles having size less than 0.25 mm, between 0.25 and 1.4 mm, and more than 1.4 mm.

Example 1

A molten mixture was prepared in the glass reactor by mixing 80 g monopotassium phosphate (MKP) and 20 g phosphorous acid (PA). The mixture was heated, and the melting started at temperature 62°C. The molten mixture was neutralized by 20.8 g potassium carbonate, and the temperature reached 106°C. The molten mixture was cooled by feeding it to a cool medium, and crushed. A granular product was obtained, characterized by pH 3.8 in the 1% solution, and hygroscopicity expressed by the the critical relative humidity of 60-65%.

20

Example 2

A molten mixture was prepared as in example 1 by mixing 80 g MKP and 20 g PA. The mixture was heated, and the melting started at temperature

62°C. The molten mixture was neutralized by 21.2 g potassium carbonate, and the temperature reached 120°C. The molten mixture was cooled by feeding it to a cool medium, and crushed. A granular product was obtained, characterized by the pH 4.4 in 1% solution, and the
5 hygroscopicity expressed by the critical relative humidity of 55-60%.

Example 3

A molten mixture was prepared as in example 1 by mixing 80 g MKP and 20 g PA. The mixture was heated, and the melting started at temperature
10 62°C. The molten mixture was neutralized by 22.8 g potassium carbonate, and the temperature reached 106°C. The molten mixture was cooled by feeding it to a cool medium, and crushed. A granular product was obtained, characterized by pH 5.0 in 1% solution, and hygroscopicity expressed by the critical relative humidity of 50-55%.

15

Example 4

A mixture containing 66 g MKP, 21.5 g PA, and micronutrients comprising 2.0 g Mg EDTA and 0.5 g Mn EDTA, was heated in a glass reactor, and the melting started at temperature 62°C. The molten mixture
20 was neutralized by 18.7 g potassium carbonate, and the temperature reached 140°C. The molten mixture was cooled by feeding it to a cool medium, and crushed. A granular product was obtained, characterized by

pH 4.2 in 1% solution, and hygroscopicity expressed by the critical relative humidity of 55-60%.

Example 5

A mixture containing 66 g MKP, 21.5 g PA, and micronutrients
5 comprising 2.0 g Mg EDTA and 0.5 g Mn EDTA, was heated in a glass reactor, and the melting started at temperature 62°C. The molten mixture was neutralized by 13.1 g potassium carbonate, and the temperature reached 130°C. The molten mixture was cooled by feeding it to a cool medium, and crushed. A granular product was obtained, characterized by
10 pH 3.4 in 1% solution, and hygroscopicity expressed by the critical relative humidity of 55-60%.

Example 6

A homogeneous blend of 252.9 g monoammonium phosphate (MAP), 497.5 g monopotassium phosphate (MKP), 3.98 g Zn EDTA, and 2.03 g Cu EDTA
15 was placed in the steel reactor, heated to 100°C, and stirred for 10 minutes, followed by adding 205.4 g of solid phosphorous acid (PA). The mixture acquired a consistency of paste, the viscosity of which decreased with time. After 10 minutes 278.8 g of potassium carbonate was added to the reactor, followed by release of heat, water and carbon dioxide, and
20 decrease of the viscosity. Stirring continued for 5 minutes. The mixture was perfectly homogeneous. In order to increase the intensity of drying after the sufficient homogenization, the vacuum pump was activated for 15 minutes, lowering the pressure to about 30 mm Hg. The crushed

material was then cooled. About 883 g of a granular, free flowing composition was obtained, having 72.8 % mass in the preferred size range of 0.25-1.4 mm, with 6.5% being smaller and 20.7% bigger. The water content of the composition was 0.44%, the pH of its 1% solution was 5.3, and its hygroscopicity as expressed by the critical relative humidity was 55-60%. No caking was observed.

Example 7

A homogeneous blend of 168.6 g MAP, 331.7 g MKP, 2.65 g Zn EDTA , and 1.35 g Cu EDTA was placed in the steel reactor, heated to 100°C, and stirred for 10 minutes, followed by the addition of 137 g of solid PA. The mixture acquired a consistency of paste, the viscosity of which decreased with time. After 10 minutes 172.5 g of potassium carbonate was added to the reactor, followed by release of heat, water and carbon dioxide, and decrease of the viscosity. Stirring continued for 5 minutes. The mixture was perfectly homogeneous. The vacuum pump was activated for 30 minutes, lowering the pressure to about 30 mm Hg. The material was then cooled, and crushed. About 631 g of a granular, free flowing, composition was obtained, having 74.8 % mass in the preferred size range of 0.25-1.4 mm, with 1.4% being smaller and 23.8% bigger. The water content of the composition was 0.17%, the pH of its 1% solution was 5.1, and its hygroscopicity, as expressed by the critical relative humidity, was 55%. No caking was observed.

Example 8

A homogeneous blend of 168.6 g MAP, 331.7 g MKP, 2.65 g Zn EDTA ,
1.35 g Cu EDTA, and 7.9 g humic acid was placed in the steel reactor,
heated to 100°C, and stirred for 10 minutes, followed by the addition of
5 137 g of solid PA. The mixture acquired a consistency of paste, the
viscosity of which decreased with time. After 10 minutes 172.5 g of
potassium carbonate was added to the reactor, followed by release of heat,
water and carbon dioxide, and decrease of the viscosity. Stirring continued
for 5 minutes. The mixture was perfectly homogeneous. The vacuum pump
10 was activated for 14 minutes, lowering the pressure to about 30 mm Hg.
The material was then cooled and crushed. About 630 g of a granular, free
flowing, composition was obtained, having 62.6 % mass in the preferred
size range of 0.25-1.4 mm, with 11.2% being smaller and 26.2% bigger.
The water content of the composition was 0.23%, the pH of its 1% solution
15 was 5.0, and its hygroscopicity, as expressed by the critical relative
humidity, was 55%. No caking was observed.

Example 9

A homogeneous blend of 168.6 g MAP, 331.7 g MKP, 2.65 g Zn EDTA ,
20 1.35 g Cu EDTA, and 20 g of stimulator Fertivant was placed in the steel
reactor, heated to 100°C, and stirred for 10 minutes, followed by the
addition of 137 g of solid PA. The mixture acquired a consistency of paste,
the viscosity of which decreased with time. After 10 minutes 172.5 g of

potassium carbonate was added to the reactor, followed by release of heat, water and carbon dioxide, and decrease of the viscosity. Stirring continued for 5 minutes. The mixture was perfectly homogeneous. The vacuum pump was activated for 23 minutes, lowering the pressure to about 30 mm Hg.

5 The material was then cooled and crushed. About 620 g of a granular, free flowing, composition was obtained, having 81.0 % mass in the preferred size range of 0.25-1.4 mm, with 2.5% being smaller and 16.5% bigger. The water content of the composition was 0.31%, the pH of its 1% solution was 4.8, and its hygroscopicity, as expressed by the critical relative humidity

10 was 55%. No caking was observed.

Example 10

A homogeneous blend of 168.6 g MAP, 331.7 g MKP, 2.65 g Zn EDTA , AND 1.35 g Cu EDTA, was placed in the steel reactor, heated to 100°C,

15 and stirred for 10 minutes, followed by the addition of 137 g of solid PA. The mixture acquired a consistency of paste, the viscosity of which decreased with time. After 10 minutes 292.2 g of 48% potassium hydroxide was added to the reactor. Stirring continued for 5 minutes. The mixture was perfectly homogeneous. The vacuum pump was activated for 45

20 minutes, lowering the pressure gradually to about 30 mm Hg. The mixture was then cooled and crushed. About 600 g of a granular, free flowing, composition was obtained, having 90.7 % mass in the preferred size range of 0.25-1.4 mm, with 0.6% being smaller and 8.7% bigger. The water

content of the composition was 0.36%, the pH of its 1% solution was 5.0, and its hygroscopicity as expressed by the critical relative humidity was 55%. No caking was observed.

Example 11

5 A homogeneous blend of 168.6 g MAP, 331.7 g MKP, 2.65 g Zn EDTA ,
1.35 g Cu EDTA, and 100 mg of the violet dye Rhodamine was placed in
the steel reactor, heated to 100°C, and stirred for 10 minutes, followed by
the addition of 137 g of solid PA. The mixture acquired a consistency of
paste, the viscosity of which decreased with time. After 10 minutes 172.5 g
10 of potassium carbonate was added to the reactor, followed by release of
heat, water and carbon dioxide, and decrease of the viscosity. Stirring
continued for 5 minutes. The mixture was perfectly homogeneous. The
vacuum pump was activated for 22 minutes, lowering the pressure to
about 30 mm Hg. The homogeneously violet material was then cooled and
15 crushed. A granular, free flowing, composition was obtained, having the
water content 0.47%, pH 4.4 in 1% solution, and hygroscopicity 55%, as
expressed by the critical relative humidity.

All the above has been provided for the purpose of illustration and is not
20 intended to limit the invention in any way, except as defined in the claims
to follow. Many modifications can be effected in the materials and methods
described above, without exceeding the scope of the invention.

CLAIMS

1. A solid, granular agrochemical composition containing a salt of phosphorous acid and at least one other NPK nutrient, that is homogeneous in the chemical composition and uniform in particle size, that is water-soluble, and that comprises metal microelements.
2. An agrochemical composition of claim 1, wherein at least one of the nutrient is chosen from the group consisting of monoammonium phosphate, monopotassium phosphate, dipotassium phosphate, potassium chloride, ammonium chloride, potassium sulfate, ammonium sulfate, and urea.
3. An agrochemical composition of any one of claims 1 to 2, wherein the salt of phosphorous acid is chosen from potassium salt, ammonium salt, and sodium salt.
4. An agrochemical composition of any one of claims 1 to 3, wherein at least one of the metal microelements is chosen from the group consisting of zinc, copper, iron, manganese, molybdenum, and boron.
5. An agrochemical composition of any one of claims 1 to 4, wherein the metal microelements are present as any commercially available salt.
6. An agrochemical composition of any one of claims 1 to 4, wherein the metal microelements are present in the form chosen from the group

consisting of chloride, sulfate, molybdate, ethylenediaminetetraacetate, and boric acid.

7. An agrochemical composition of any one of claims 1 to 6, wherein the microelements act synergistically with salts of phosphorous acid.
8. An agrochemical composition of any one of claims 1 to 7, additionally containing one or more additives that further enhance its fertilizing and pesticidal properties.
9. An agrochemical composition of claim 8, wherein the additive is chosen from the group consisting of stimulant, pesticide, and surfactant.
10. An agrochemical composition of claim 8, wherein the additive is humic acid.
11. An agrochemical composition of claim 8, wherein the additive acts synergistically with salts of phosphorous acid.
12. An agrochemical composition of any one of claims 1 to 11, additionally containing one or more additives that modify functional or aesthetic properties of the particles.
13. An agrochemical composition of claim 12, wherein the additive is chosen from the group consisting of surfactant and dye.

14. An agrochemical composition according to any one of claims 1 to 13, wherein the NPK nutrient, other than a salt of phosphorous acid, comprises monoammonium phosphate or monopotassium phosphate.
15. An agrochemical composition of any one of any one of claims 1 to 14, which contains from 10 to 95 wt% salts of phosphorous acid.
16. An agrochemical composition of any one of claims 1 to 15, which contains from 5 to 90 wt% of NPK nutrients, other than salts of phosphorous acid.
17. An agrochemical composition of any one of claims 1 to 16, which is completely dissolved when mixed with water at ambient temperatures, in the ratio of 10 parts of the solid to 90 parts of water.
18. An agrochemical composition of any one of claims 1 to 16, which is completely dissolved when mixed with water at ambient temperature, in the ratio 20 parts of the solid to 80 parts of water.
19. An agrochemical composition of any one of claims 1 to 18, which provides a solution having pH 3.4-7.0, when dissolved 1 part in 100 parts of water.
20. An agrochemical composition of any one of claims 1 to 19, which contains from 0% to 1% water.

21. An agrochemical composition of any one of claims 1 to 20, which contains from 0.1 to 0.4 wt% water.
22. An agrochemical composition of any one of claims 1 to 21, which contains from 0.005 wt% to 2 wt% microelements.
23. An agrochemical composition of any one of claims 1 to 22, which contains from 15 to 35 wt% salts of phosphorous acid.
24. An agrochemical composition of any one of claims 1 to 23, which contains from 65 to 85 wt% of NPK nutrients, other than salts of phosphorous acid.
25. An agrochemical composition of any one of claims 1 to 24, which contains from 0.05 wt% to 0.5 wt% microelements.
26. An agrochemical composition of any one of claims 1 to 25, which provides a solution having pH 3.8-5.3, when dissolved 1 part in 100 parts of water.
27. An agrochemical composition of any one of claims 1 to 26, which is a free flowing, solid particles, composition.
28. A process for the manufacture of an agrochemical composition, comprising i) blending and heating at a temperature from 60°C to 130°C a mixture containing phosphorous acid, at least one other NPK nutrient, metal microelements and other additives; ii) introducing a

base into the mixture, thus at least partially neutralizing phosphorous acid, wherein the amount of the base is sufficient to provide that the pH of a 1% water solution of the final composition will be between 3.4 and 7.0; iii) homogenizing the mixture, while optionally lowering the pressure above the mixture; iv) and cooling the mixture, while obtaining a homogeneous, granular, free flowing and not caking material, containing from 0% to 1% water.

29. A process according to claim 28, wherein the molten mixture is neutralized by a base of formula MR, wherein M is selected from potassium and ammonium, and R is selected from carbonate and hydroxide.
30. A process according to claim 28, wherein the molten mixture is neutralized by potassium carbonate or potassium hydroxide.
31. A process according to claim 28, wherein the components may be added to the mixture in any order.
32. A process according to claim 28, wherein the components may be preheated in any order before forming the complete mixture.
33. A process according to claim 28, wherein the complete mixture has a temperature between 60°C and 130°C.
34. A process according to claim 28, comprising a molten mixture.

35. A process according to claim 28, wherein the complete mixture is heated to a temperature between 61°C and 100°C.
36. A process according to claim 28, which provides a granular composition homogeneous in chemical composition and uniform in particle-size.
37. A process according to claim 28, which provides a granular, free flowing composition that contains from 0.1% to 0.4% water.
38. A process according to claim 28, which provides a granular composition having hygroscopicity, as expressed by the critical relative humidity, from 50% to 65%.
39. A process according to claim 28, wherein the pressure is lowered below 70 mm Hg.

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/03/00620

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C05B17/00 C05B7/00 C05D9/02 C05F11/02 C05G3/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C05B C05D C05G

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, BIOSIS, COMPENDEX

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>WO 00 76941 A (CHEMGROW ;ALYESHMERNI ALFRED (US)) 21 December 2000 (2000-12-21) cited in the application</p> <p>claims page 7, line 10 - line 13 page 15, line 14 - line 17 page 10, line 12 - line 15 page 12, line 1 -page 14, line 24 --- -/--</p>	<p>1-5,7-9, 11, 14-17, 19,20, 23,24, 26-31, 33,35,36</p>

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *G* document member of the same patent family

Date of the actual completion of the international search

29 October 2003

Date of mailing of the international search report

10/11/2003

Name and mailing address of the ISA

European Patent Office, P.B. 5618 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

RODRIGUEZ FONTAO, M

INTERNATIONAL SEARCH REPORT

International Application No.
PCT/JP 03/00620

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 830 255 A (LOVATT CAROL J) 3 November 1998 (1998-11-03) claims column 5, line 7 - line 14 column 6, line 2 - line 7 ---	1,3-9, 15,17, 19,23,26
X	US 5 865 870 A (HSU HSINHUNG JOHN) 2 February 1999 (1999-02-02) claims column 2, line 35 -column 3, line 21 ---	1-5,7-9, 11, 14-17, 19,23, 24,27
X	US 5 047 078 A (GILL JASBIR S) 10 September 1991 (1991-09-10) claims column 1, line 66 -column 2, line 2 column 3, line 5 - line 10 column 4, line 37 - line 54 column 5, line 60 - line 68 ---	1,2,4,5, 7,8,11, 12, 15-19, 23,24, 26,27
A	DATABASE WPI Section Ch, Week 199938 Derwent Publications Ltd., London, GB; Class C04, AN 1999-445010 XP002259539 & CN 1 216 759 A (SHUANGDI COMPOSITE FERTILIZER CO LTD YAN), 19 May 1999 (1999-05-19) abstract -----	1,10

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/SA/2003/00620

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 0076941	A	21-12-2000	AU 5485300 A WO 0076941 A1	02-01-2001 21-12-2000
US 5830255	A	03-11-1998	US 5514200 A US 6113665 A US 2003101784 A1 AU 1739795 A BR 9506959 A CA 2182300 A1 EP 0743931 A1 WO 9521142 A1	07-05-1996 05-09-2000 05-06-2003 21-08-1995 16-09-1997 10-08-1995 27-11-1996 10-08-1995
US 5865870	A	02-02-1999	US 5707418 A US 6168643 B1 AU 718565 B2 AU 5159098 A EP 0897378 A1 TR 9801778 T1 WO 9832714 A1	13-01-1998 02-01-2001 13-04-2000 18-08-1998 24-02-1999 21-04-1999 30-07-1998
US 5047078	A	10-09-1991	AT 45563 T AU 589959 B2 AU 5708786 A CA 1287744 C DE 3665057 D1 EP 0203734 A1 JP 2083664 C JP 5075720 B JP 61256991 A NZ 215916 A ZA 8603220 A	15-09-1989 26-10-1989 06-11-1986 20-08-1991 21-09-1989 03-12-1986 23-08-1996 21-10-1993 14-11-1986 26-04-1989 30-12-1986
CN 1216759	A	19-05-1999	NONE	

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.